汉明威
HEMWAY

汉明威
HEMWAY

专注节能整烫设备

Focus on the
energy saving ironing machine

领先 不跟随

LEAD DON'T FOLLOW



微信公众号
Scan and follow wechat official account

深圳汉明威智能设备有限公司
SHENZHEN HEMWAY SMART DEVICE CO., LTD

统一服务热线：400-882-5552
National service hotline: 86 400-882-5552

http://www.hemway.com.cn

总公司地址：深圳市龙华区观澜观景路宇轩工业园D栋
2nd floor, Building D, Yuxuan Industrial Park, Guanlan Guanjing Road,Longhua District,Shenzhen, China

熨烫，就用汉明威!

IRONING, USE HEMWAY!

目录 CONTENTS

关于我们 01-04
ABOUT US

公司简介 Company Profile 01-01
技术实力 Technical strength 01-01
经营理念 Operation Philosophy 02-02
市场规模 Market Scale 02-02
企业文化 Enterprise Culture 03-03
企业资质 Enterprise Qualification 04-04

05-16 关于产品
ABOUT PRODUCT

05-06 YUNBA Introduce 熨霸简介
07-08 YUNBAH98V1 熨霸H98V1
09-10 YUNBAH98V2 熨霸H98V2
11-12 YUNBAH98V3 熨霸H98V3
13-14 YUNBAH99X1 熨霸H99X1
15-16 YUNBAH99X3 熨霸H99X2

蒸汽发生器M050 Steam generatorM050 17-18
蒸汽发生器M090 Steam generatorM090 19-20
蒸汽发生器M120 Steam generatorM120 21-22
蒸汽发生器M180 Steam generatorM180 23-24
蒸汽发生器M240 Steam generatorM240 25-26
蒸汽发生器M360 Steam generatorM360 27-28
蒸汽发生器M480 Steam generatorM480 29-30
智能烫台T120D Intelligent ironing tableT120D 31-32
智能烫台T150D Intelligent ironing tableT150D 33-34
智能软水器W616 Smart water softenerW616 35-36
智能软水器W616S Smart water softenerW616S 37-38
组合机柜HT100 Combination cabinetHT100 39-40
烫斗 Iron 41-42
用户案例 User Cases 43-44



公司简介

COMPANY PROFILE

深圳汉明威智能设备有限公司（HEMWAY）是中国领先的智能服装整烫设备提供商，公司拥有自主知识产权，集研产销于一体，致力于推动整烫行业向智能化、便捷化、环保化方向发展。汉明威在服装生产、服装洗涤和家庭应用等领域为客户提供具有节能降耗、智能高效特点的安全可信赖产品。

SHENZHEN HEMWAY SMART DEVICE CO., LTD. (Hemway) is a leading supplier of smart clothing ironing equipment in China, which has independent intellectual property rights, integrates R&D, production and sales, and is committed to promoting the development of the ironing industry to intelligent, convenient and environmentally friendly direction. Hemway provides customers reliable products with energy-saving, smart and efficient features in the fields of clothing production, clothing washing and home application.

技术实力

TECHNICAL STRENGTH

公司拥有多年整烫设备研发生产经验，自2011年开始，汉明威立足于高新技术企业云集的经济特区—深圳，拥有一只专业的技术研发团队，公司注重技术研发的投入，坚持原创精神，不断创新，所研制出的“熨霸”系列智能整烫蒸汽发生器，获得了节能熨烫系统、蒸汽稳定输出系统、蒸汽排污装置、自动除垢装置等相关的二十余项发明、实用新型和外观等国家专利。

Hemway has many years of experience in R&D and production of ironing equipment. Since 2011, the company was based in Shenzhen, a special economic zone where high-tech enterprises gather, which has a professional technology R&D team, and the company pays attention to the investment of technology R&D, adheres to the original spirit, and constantly innovates. The developed “YunBa” series smart ironing machine has obtained more than a dozen national patents on inventions, utility models and appearance related to energy-saving ironing system, steam stable output system, steam sewage device and automatic descaling device.

经营理念

BUSINESS PHILOSOPHY

汉明威注重产品的研发，同时也心系服装设备行业市场发展，2017年汉明威先后加入 “广东省缝制设备商会”，“中国缝制协会”成为理事会员单位，与同行业优秀企业共同担负起凝聚行业、服务企业的责任。

汉明威将始终坚持“领先，不跟随！”的企业发展宗旨，为推动服装整烫设备行业持续发展和转型升级而不懈努力。

Hemway pays attention to product R&D, and also focuses on the development of the clothing equipment industry market. In 2017, Hemway joined and became a member of the “Guangdong Province Sewing Equipment Chamber of Commerce”, and the “China Sewing Association”, who will shoulder the responsibility of cohesive industries and service enterprises together with the excellent enterprises in the same industry.

Hemway will always adhere to the corporate development purpose of “Lead, Don't follow!” and make unremitting efforts to promote the sustainable development, transformation and upgrading of the clothing ironing equipment industry.

市场规模

MARKET SIZE

汉明威在全国范围内已形成了由300余家经销商、代理商及售后服务中心形成的庞大服务网络体系。专业的售后服务工程师为广大企业用户提供迅速、准确、专业的售后服务支持，以确保设备稳定运行，为用户创造最大价值。

汉明威也非常重视海外市场的拓展，逐步开发了东南亚、南亚以及欧美市场，并建立了越南办事处。

Up to now, Hemway has formed a huge service network system consisting of more than 300 distributors, agents and after-sales service centers nationwide. Professional after-sales service engineers provide fast, accurate and professional service support for the majority of enterprise users to ensure the stable operation of the equipment and create maximum value for users. Hemway also attaches great importance to the expansion of overseas markets, and has continuously developed customers from Southeast Asia, South Asia and Europe and the United States, and has established a Vietnam office.

HEMWAY®

坚持初创技术
引领行业未来




汉明威
汉明威
汉明威
汉明威
汉明威

熨霸H98
YUNBA H98



中小烫省电王
智能变频加热技术，设备能量转换率高，较传统锅炉可节省电费50%以上

Power Saving King of Medium and Small Ironing.
Smart frequency conversion heating technology, higher transform ratio at equipment energy, compare to the traditional boilers, it can save electric charges more than 50%

高温干燥蒸汽
配置电加热熨斗，蒸汽二次加热，五档调温旋钮，可根据不同面料调节烫斗底板温度，温度高达150°C，蒸汽干燥无水分

High temperature dry steam
Equipped with electric heating iron, steam secondary heating, five gears thermostat, can adjust the bottom plate temperature according to different fabrics, the temperature can set up to 150°C, dry steam and no water drop.

五分钟开机
进口蒸汽发生器核心单元SGCU，加热速度快，能效高，开机5分钟左右即可产出高压蒸汽，节约工时

5 Minutes start to work
Imported steam generator core unit SGCU, fast heating speed, high energy efficiency, only 5 minutes can produce high pressure steam, save labor time.

智能控制系统
全新第四代智能控制系统，开机自动加水、自动水位检测、智能语音提醒。快速排污系统，一分钟排净污水，快速高效、拒绝堵塞

Smart control system
New 4th-generation intelligent control system, automatic water adding, automatic water level detection, intelligent voice reminder; Rapid drainage system, one minute to drain, fast and efficient, no blocking

独创除垢系统
独家首创外接式自动除垢器，自动定期除垢，使炉体内部一直处于最佳工作状态

Original descaling system
Exclusive use of external automatic scale remover, automatic regular cleaning, make the furnace body always in the best working condition

多重安全防护
设备具有过热保护、压力控制、泄压保护等多重防护措施，安全有保障

Multiple safety protection
The equipment has multiple protective measures, such as overheating protection, pressure control, pressure relief protection, etc



除垢器（可选配） Descaling device (Optional)
汉明威H系列智能整烫蒸汽发生器专配产品，可支持一机多用，具有快速高效的除垢效果

HEMWAY H series intelligent ironing steam generator is specially equipped with products, which can support multi-purpose of one machine and have fast and efficient descaling effect


型号Product model：TC30　　电压Voltage：DC24V
容量Capacity：2L　　净重Net weight：2±0.3KG
产品尺寸Product Size：233*141*338.5MM




电熨斗
Electric iron

HEMWAY®

产品型号 Product model	H98V1
主机功率 Main machine power	2.5kW
额定电压 Rated voltage	220V
加热时间 Heating Time	5min
蒸汽压力 Steam pressure	1.5-4.2kg/cm²
烫斗类型 Type of Iron	电熨斗 Electric iron
烫斗底板材质 Material of iron bottom plate	硬质氧化铝+不粘涂层 Hard alumina+non-stick coating
烫斗底板尺寸 Size of iron bottom plate	116*202mm
主机净重 Net weight of host machine	19.3kg
烫斗净重 Net weight of iron	2.05kg
产品毛重 Gross weight of product	25kg



推荐安装示意图 Recommend installation diagrammatic sketch



熨霸H98 V2

YUNBA H98



全蒸汽大烫升级版

3.8KW功率，蒸汽强劲可达到4.2kg/c-m²，能满足多种面料的熨烫需求

Super big steam and powerful ironing upgrade version

3.8kw rated power, steam pressure can reach 4.2kg/cm², can meet the needs of a variety of fabrics ironing

烫斗配置可选

可根据需要任意选配全蒸汽烫斗及电加热烫斗，大烫、中小烫均可支持

Iron type is optional

According to the needs of arbitrary selection of all steam iron and electric heating iron, large steam, medium and small wet or dry steam can support

五分钟开机

进口蒸汽发生器核心单元SGCU，加热速度快，能效高，开机5分钟左右即可产出高压蒸汽，节约工时

5 Minutes start to work

Imported steam generator core unit SGCU, fast heating speed, high energy efficiency, only 5 minutes can produce high pressure steam, save labor time.

智能控制系统

全新第四代智能控制系统，开机自动加水、自动水位检测、智能语音提醒。快速排污系统，一分钟排净污水，快速高效、拒绝堵塞

Smart control system

New 4th-generation intelligent control system, automatic water adding, automatic water level detection, intelligent voice reminder; Rapid drainage system, one minute to drain, fast and efficient, no blocking

独创除垢系统

独家首创外接式自动除垢器，自动定期除垢，使炉体内部一直处于最佳工作状态

Original descaling system

Exclusive use of external automatic scale remover, automatic regular cleaning, make the furnace body always in the best working condition

多重安全防护

设备具有过热保护、压力控制、泄压保护等多重防护措施，安全有保障

Multiple safety protection

The equipment has multiple protective measures, such as overheating protection, pressure control, pressure relief protection, etc



除垢器（可选配） Descaling device (Optional)

汉明威H系列智能整烫蒸汽发生器专配产品，可支持一机多用，具有快速高效的除垢效果

HEMWAY H series intelligent ironing steam generator is specially equipped with products, which can support multi-purpose of one machine and have fast and efficient descaling effect

型号 Product model：TC30　　电压 Voltage：DC24V

容量 Capacity：2L　　净重 Net weight：2±0.3KG

产品尺寸 Product Size：233*141*338.5MM




电熨斗　　蒸汽斗


Electric iron or Steam iron

HEMWAY®

产品型号 Product model	H98V2
主机功率 Main machine power	3.8kW
额定电压 Rated voltage	220V
加热时间 Heating Time	5min
蒸汽压力 Steam pressure	1.5-4.2kg/cm²
烫斗类型 Type of Iron	蒸汽斗/电熨斗可选 Electric iron/Steam iron(Optional)
烫斗底板材质 Material of iron bottom plate	不锈钢/硬质氧化铝+不粘涂层 Hard alumina+non-stick coating
烫斗底板尺寸 Size of iron bottom plate	140*200mm/116*202mm
主机净重 Net weight of host machine	20.6kg
烫斗净重 Net weight of iron	1.6kg
产品毛重 Gross weight of product	26.3kg



推荐安装示意图 Recommend installation diagrammatic sketch



熨霸H98 V3

YUNBA H98



超级大烫王

4.8KW大功率，为大烫工序量身打造，爆炸式蒸汽效果，可为各种面料成衣快速除皱定型

Super big steam ironing king

4.8kw rated power, especially for big steam ironing process, explosive steam effect, can quickly remove wrinkles and finalize the design for various fabrics ready-to-wear.

全功能折叠显示屏

全新可折叠式显示屏设计，可根据工位高度灵活调整，设备状态实时掌控

Functional folding display screen

Entirely new foldable type display screen design, can flexibly adjust according to the height of working station, real time control the equipment status

五分钟开机

进口蒸汽发生器核心单元SGCU，加热速度快，能效高，开机5分钟左右即可产出高压蒸汽，节约工时

5 Minutes start to work

Imported steam generator core unit SGCU, fast heating speed, high energy efficiency, only 5 minutes can produce high pressure steam, save labor time.

智能控制系统

全新第四代智能控制系统，开机自动加水、自动水位检测、智能语音提醒。快速排污系统，一分钟排净污水，快速高效、拒绝堵塞

Smart control system

New 4th-generation intelligent control system, automatic water adding, automatic water level detection, intelligent voice reminder; Rapid drainage system, one minute to drain, fast and efficient, no blocking

独创除垢系统

独家首创外接式自动除垢器，自动定期除垢，使炉体内部一直处于最佳工作状态

Original descaling system

Exclusive use of external automatic scale remover, automatic regular cleaning, make the furnace body always in the best working condition

多重安全防护

设备具有过热保护、压力控制、泄压保护等多重防护措施，安全有保障

Multiple safety protection

The equipment has multiple protective measures, such as overheating protection, pressure control, pressure relief protection, etc



除垢器（可选配） Descaling device (Optional)


汉明威H系列智能整烫蒸汽发生器专配产品，可支持一机多用，具有快速高效的除垢效果

HEMWAY H series intelligent ironing steam generator is specially equipped with products, which can support multi-purpose of one machine and have fast and efficient descaling effect

型号 Product model：TC30　　电压 Voltage：DC24V

容量 Capacity：2L　　净重 Net weight：2±0.3KG

产品尺寸 Product Size：233*141*338.5MM




电熨斗　　蒸汽斗


Electric iron or Steam iron

HEMWAY®

产品型号 Product model	H98V3
主机功率 Main machine power	4.8kW
额定电压 Rated voltage	220V
加热时间 Heating Time	5min
蒸汽压力 Steam pressure	1.5-4.2kg/cm²
烫斗类型 Type of Iron	蒸汽斗/电熨斗可选 Electric iron/Steam iron(Optional)
烫斗底板材质 Material of iron bottom plate	不锈钢/硬质氧化铝+不粘涂层 Hard alumina+non-stick coating
烫斗底板尺寸 Size of iron bottom plate	140*200mm/116*202mm
主机净重 Net weight of host machine	21.5kg
烫斗净重 Net weight of iron	1.6kg
产品毛重 Gross weight of product	27.5kg



推荐安装示意图 Recommend installation diagrammatic sketch



熨霸H99 X1

YUNBA H99

HEMWAY®



双烫斗，随心配

“超级双烫王”，大小蒸汽斗自由组合，可实现不同环节、各种布料的同时熨烫

Double irons, match freely

“Super double ironing king” support large and small steam ironing, can realize ironing in different process and various cloth at the same time

双模式，汽量大

带有“强劲模式”开关，可实现6kg/cm²的蒸汽压力，轻松应对各种厚重布料

Double mode, large steam

Can realize 6kg/cm² steam pressure with “Powerful mode” switch, easily applied to various thick and heavy cloth

智能化，效率高

全新第四代智能控制系统，节能加热技术，具有显著节能特点。智能语音提醒功能，设备状态实时掌控

Smart, high efficiency

Entirely new 4th generation smart control system, energy saving and heating technology with obvious performance; Smart voice reminding function, time to time control the equipment status

自动进水、排污

设备具有自动水位检测、自动加水。全新的快速排污系统，一分钟排净污水，快速高效、拒绝堵塞

Automatic water adding and drain

The equipment has automatic water level detecting and automatic water adding function. Smart drainage system, completely drain in one minute, fast, high efficiency and avoid blocking

独创除垢系统

独家首创外接式自动除垢器，自动定期除垢，使炉体内部一直处于最佳工作状态

Original descaling system

Exclusive use of external automatic scale remover, automatic regular cleaning, make the furnace body always in the best working condition

多重安全防护

设备具有过热保护、压力控制、泄压保护等多重防护措施，安全有保障

Multiple safety protection

The equipment has multiple protective measures, such as overheating protection, pressure control, pressure relief protection, etc



除垢器（可选配）

汉明威H系列智能整烫蒸汽发生器专配产品，可支持一机多用，具有快速高效的除垢效果

HEMWAY H series intelligent ironing steam generator is specially equipped with products, which can support multi-purpose of one machine and have fast and efficient descaling effect

型号Product model：TC30　　电压Voltage：DC24V

容量Capacity：2L　　净重Net weight：2±0.3KG


产品尺寸Product Size：233*141*338.5MM




蒸汽斗

Steam iron

产品型号 Product model	H99X1
主机功率 Main machine power	9kW
额定电压 Rated voltage	220V/380V
加热时间 Heating Time	5min
蒸汽压力 Steam pressure	1.5-6 kg/cm²
烫斗类型 Type of Iron	蒸汽斗 Vapour Ironing
烫斗底板材质 Material of iron bottom plate	不锈钢 Stainless steel
烫斗底板尺寸 Size of iron bottom plate	140*200mm
主机净重 Net weight of host machine	34.7kg
烫斗净重 Net weight of iron	1.6kg*2
产品毛重 Gross weight of product	37.7kg+(2.75kg*2)



推荐安装示意图



熨霸H99 X2

YUNBA H99

HEMWAY®



双烫斗，随心配

“超级双烫王”，大小蒸汽斗自由组合，可实现不同环节、各种布料的同时熨烫

Double irons, match freely

“Super double ironing king” support large and small steam ironing, can realize ironing in different process and various cloth at the same time

双模式，汽量大

带有“强劲模式”开关，可实现6kg/cm²的蒸汽压力，轻松应对各种厚重布料

Double mode, large steam

Can realize 6kg/cm² steam pressure with “Powerful mode” switch, easily applied to various thick and heavy cloth

智能化，效率高

全新第四代智能控制系统，节能加热技术，具有显著节能特点。智能语音提醒功能，设备状态实时掌控

Smart, high efficiency

Entirely new 4th generation smart control system, energy saving and heating technology with obvious performance; Smart voice reminding function, time to time control the equipment status

自动进水、排污

设备具有自动水位检测、自动加水。全新的快速排污系统，一分钟排净污水，快速高效、拒绝堵塞

Automatic water adding and drain

The equipment has automatic water level detecting and automatic water adding function. Smart drainage system, completely drain in one minute, fast, high efficiency and avoid blocking

独创除垢系统

独家首创外接式自动除垢器，自动定期除垢，使炉体内部一直处于最佳工作状态

Original descaling system

Exclusive use of external automatic scale remover, automatic regular cleaning, make the furnace body always in the best working condition

多重安全防护

设备具有过热保护、压力控制、泄压保护等多重防护措施，安全有保障

Multiple safety protection

The equipment has multiple protective measures, such as overheating protection, pressure control, pressure relief protection, etc



除垢器（可选配）

汉明威H系列智能整烫蒸汽发生器专配产品，可支持一机多用，具有快速高效的除垢效果

HEMWAY H series intelligent ironing steam generator is specially equipped with products, which can support multi-purpose of one machine and have fast and efficient descaling effect

型号Product model：TC30　　电压Voltage：DC24V

容量Capacity：2L　　净重Net weight：2±0.3KG


产品尺寸Product Size：233*141*338.5MM




蒸汽斗

Steam iron

产品型号 Product model	H99X2
主机功率 Main machine power	9kW
额定电压 Rated voltage	220V/380V
加热时间 Heating Time	5min
蒸汽压力 Steam pressure	1.5-6 kg/cm²
烫斗类型 Type of Iron	蒸汽斗 Vapour Ironing
烫斗底板材质 Material of iron bottom plate	不锈钢 Stainless steel
烫斗底板尺寸 Size of iron bottom plate	140*200mm
主机净重 Net weight of host machine	34.7kg
烫斗净重 Net weight of iron	1.6kg*2
产品毛重 Gross weight of product	37.7kg+(2.75kg*2)



推荐安装示意图



蒸汽发生器
Steam generator

M050



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的T型炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original T - type furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection

Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .


智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M050
主机功率 Main machine power	5KW
用电量 Rated current	2-2.5KW/H
水容量 Water capacity	4.1L
排污时间 Sewage time	2min
主机净重 Net weight of host machine	28KG
额定蒸发量 Rated evaporation	7.5L/H
额定电压 Rated voltage	220V
加热时间 Heating Time	5min
蒸汽压力 Steam pressure	1.5～6Kg/cm²
规格尺寸 Specification size	536*236*720mm

蒸汽发生器
Steam generator

M090



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection


Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .

智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M090	电加热组数 Heating tube group number	1组
主机功率 Main machine power	9KW	设计热效率 Efficiency	98%
额定蒸发量 Rated evaporation	13.5L/H	水容量 Water capacity	10.5L
额定电压 Rated voltage	380V	蒸汽出口 Steam outlet	3mm*2
加热时间 Heating Time	4min30s	进水接口 Water inlet	8mm
额定工作压力 Working pressure	1.5-6Kg/cm²（可调）	排污接口 Drain outlet	10mm
主机净重 Net weight of host machine	111.5kg	安全阀 Safety valve	5mm
规格尺寸 Specification size	257*578*970mm	动力铜芯电缆 Power copper core cable	4*3+2*2.5mm²

蒸汽发生器
Steam generator

M120



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection

Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .


智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M120	电加热组数 Heating tube group number	1组
主机功率 Main machine power	12KW	设计热效率 Efficiency	98%
额定蒸发量 Rated evaporation	18L/H	水容量 Water capacity	10.5L
额定电压 Rated voltage	380V	蒸汽出口 Steam outlet	3mm*2
加热时间 Heating Time	4min30s	进水接口 Water inlet	8mm
额定工作压力 Working pressure	1.5-6Kg/cm²（可调）	排污接口 Drain outlet	10mm
主机净重 Net weight of host machine	111.5kg	安全阀 Safety valve	5mm
规格尺寸 Specification size	257*578*970mm	动力铜芯电缆 Power copper core cable	4*3+2*2.5mm²

蒸汽发生器
Steam generator

M180



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的T型炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original T - type furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection

Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .


智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M180	电加热组数 Heating tube group number	2组
主机功率 Main machine power	18KW	设计热效率 Efficiency	98%
额定蒸发量 Rated evaporation	27L/H	水容量 Water capacity	22L
额定电压 Rated voltage	380V	蒸汽出口 Steam outlet	15mm
加热时间 Heating Time	4min30s	进水接口 Water inlet	15mm
额定工作压力 Working pressure	1.5-6Kg/cm²（可调）	排污接口 Drain outlet	10mm
主机净重 Net weight of host machine	111.5kg	安全阀 Safety valve	15mm
规格尺寸 Specification size	400*660*1150mm	动力铜芯电缆 Power copper core cable	6*3+2*4mm²

蒸汽发生器
Steam generator

M240



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的T型炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original T - type furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection

Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .


智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M240	电加热组数 Heating tube group number	2组
主机功率 Main machine power	24KW	设计热效率 Efficiency	98%
额定蒸发量 Rated evaporation	36L/H	水容量 Water capacity	22L
额定电压 Rated voltage	380V	蒸汽出口 Steam outlet	15mm
加热时间 Heating Time	4min30s	进水接口 Water inlet	15mm
额定工作压力 Working pressure	1.5-6Kg/cm²（可调）	排污接口 Drain outlet	10mm
主机净重 Net weight of host machine	111.5kg	安全阀 Safety valve	15mm
规格尺寸 Specification size	400*660*1150mm	动力铜芯电缆 Power copper core cable	10*3+2*6mm²

蒸汽发生器
Steam generator

M360



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的T型炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original T - type furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection

Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.


智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M360	电加热组数 Heating tube group number	2组
主机功率 Main machine power	36KW	设计热效率 Efficiency	98%
额定蒸发量 Rated evaporation	54L/H	水容量 Water capacity	28.8L
额定电压 Rated voltage	380V	蒸汽出口 Steam outlet	15mm
加热时间 Heating Time	4min30s	进水接口 Water inlet	20mm
额定工作压力 Working pressure	1.5-6Kg/cm²（可调）	排污接口 Drain outlet	10mm
主机净重 Net weight of host machine	111.5kg	安全阀 Safety valve	15mm
规格尺寸 Specification size	420*760*1210mm	动力铜芯电缆 Power copper core cable	16*3+2*10mm²

蒸汽发生器
Steam generator

M480



不锈钢炉体
全部采用304不锈钢炉体，激光焊接和氩弧焊接技术，十年保用。独创的T型炉体结构，提高热效率、降低蒸汽湿度

Stainless Steel Furnace Body Series

All adopt 304 stainless steel furnace body, laser welding and argon arc welding technology, can use at least ten years. Original T - type furnace structure can improve thermal efficiency, reduce steam humidity.

智能电控系统
独创的智能控制系统，让设备的加热、蒸汽输出、排污、除垢以及安全防护工作都在电脑的管理之下合理有序地进行，无需人工操作

Intelligent Electronic Control System

The original intelligent control system enables the heating, steam output, sewage discharge, descaling and safety protection of the equipment to be carried out in a reasonable and orderly manner under the management of the computer, without manual operation.

省电之王
独创的加热控制技术，提高热转换效率和蒸汽输出效率，降低能耗，有“省电之王”的美称

King of Power Saving

Original heating control technology, improve heat conversion efficiency and steam output efficiency, reduce energy consumption, has the beautiful name of "king of electricity saving" .

四重安全防护
装备有“电子压力传感器”、“温度开关”、“压力开关”和“机械泄压阀”四重安全保护装置，确保安全、万无一失

Four Layers of Safety Protection

Equipped with the four safety protection device- "electronic pressure sensor", "temperature switch", "pressure switch" and "mechanical pressure relief valve", thus can ensure safety .

自动除垢
设备具备自动除垢功能，本功能需要另购本公司生产的“自动除垢器”配合使用。(当设备工作一段时间后，在加热管和炉体内壁上都会结上一层水垢，水垢会降低热效率、增加能耗、甚至会损坏加热管，所以需要定期除垢)

Intelligent Pollution Discharge

At the end of each day, just set the work status knob to the "off work" state, and the equipment will carry out automatic sewage discharge. It will be finished in 2 minutes and the equipment will be shut down by itself.


智能排污
每天下班收工时，只需将工作状态旋钮置于“下班”状态，设备便进行自动排污工作，2分钟后即可完成，设备自行关机

Automatic Descaling

The equipment has the automatic descaling function, use this function needs to purchase the "automatic descaling device" produced by the company. (when the equipment is in operation for a period of time, a layer of scale will be formed on the heating tube and the inner wall of the furnace. Scale will decrease thermal efficiency, increase energy consumption and even damage the heating tube, therefore, regular scale removal is needed.)


HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	M480	电加热组数 Heating tube group number	2组
主机功率 Main machine power	48KW	设计热效率 Efficiency	98%
额定蒸发量 Rated evaporation	72L/H	水容量 Water capacity	28.8L
额定电压 Rated voltage	380V	蒸汽出口 Steam outlet	15mm
加热时间 Heating Time	4min30s	进水接口 Water inlet	20mm
额定工作压力 Working pressure	1.5-6Kg/cm²（可调）	排污接口 Drain outlet	10mm
主机净重 Net weight of host machine	111.5kg	安全阀 Safety valve	15mm
规格尺寸 Specification size	420*760*1210mm	动力铜芯电缆 Power copper core cable	25*3+2*16mm²

智能烫台
Intelligent ironing table
T120D



多项发明专利
数位资深工程师历经三年多的研发，申请多项国家发明专利，传统烫台的换代产品，集节能、环保、低噪、智能、耐用多项特点于一身

Multiple Invention Patents
several senior engineers - after more than three years of research and development- applied for a number of national invention patents, and the replacement product of traditional ironing tables are characterized by energy saving, environmental protection, low noise, intelligence and durability.

吸风强劲噪音低
采用进口低噪风机技术，吸风强劲、噪音比同类产品降低10dB

Strong Air Suction and Low Noise
Adopted imported low noise wind turbine technology, with strong air suction, its noise reduced by 10 dB, as compared with counterparts

智能化蒸汽烘干技术
独创的智能型蒸汽烘干技术，利用现有蒸汽对台面进行80℃恒温烘干，安全可靠，烘干时间可以自由设定

Intelligent Steam Drying Technology
Unique intelligent steam drying technology using the existing steam to drying the table at 80℃ constant temperature, which is safe and reliable, drying time can be set freely.

多功能灯架系统
灯架装有LED照明灯，可实现台面的照明，保持工作时光线的充足，提高工作效率。配有高亮度镭射标记灯。配有烫斗吊挂滑轨，让熨烫工作变得轻松自如，减轻工作人员手持烫斗的疲劳强度

Multi-function Lamp Bracket System
LED floodlight has been installed in lamp bracket , a fact can realize the illume of table-board, maintain the sufficient light when working, and improve working efficiency. It equipped with high brightness laser marking lamp, and with iron hanging slide rails, thus making ironing easy and easy, reducing the fatigue of the staff for holding iron. '

高度调节装置
烫台高度自由调节装置，让机器因人而变，让不同身高的操作者都能保持一个舒适的姿势工作

Height Adjusting Device
The height free adjusting device of ironing table makes the machine changes according to the person, so that different height of the operator can maintain a comfortable position.

内含空气净化系统
吸风系统内置多级活性炭网，可将空气中的灰尘、毛絮等有害物质进行过滤和吸附，以达到空气的净化作用，让车间保持一个空气洁净的环境


It Contains An Air Purification System
The multi-stage activated carbon mesh is built in the air suction system, which can filter and absorb the dust, fluff and other harmful substances in the air, so as to achieve the purification effect of air, let the workshop enjoy a clean environment.

智能控制面板
集成一体化的操控及显示面板，把机器所有的操作按键和状态显示都集成在操控面板上，让操控变得轻松自如。还可与蒸汽发生器自由组合通信，采用串口方式与蒸汽发生器连通一体化控制

Intelligent Control Panel
The integrated control and display panel integrates all the operation keys and status display of the machine on the control panel, making the control easy and comfortable. It can also communicate with steam generator freely and adopt serial port to connecting with steam generator in terms of integrated control

HEMWAY®


推荐安装示意图 Recommend installation diagrammatic sketch



产品型号 Product model	T120D
主机功率 Main machine power	750W
额定电压 Rated voltage	220V/380V
台面尺寸 Table-board size	1200*650mm
产品毛重 Gross weight of product	84kg
产品高度 Product height	800-900mm(可调)

型号	配置
T120A	1.2m台板 Electronic method
T120B	1.2m台板、烫臂 Electronic method、Ironing arm
T120C	1.2m台板、烫臂、烘干 Electronic method、Ironing arm、drying
T120D	1.2m台板、烫臂、烘干、多功能灯架 Electronic method、Ironing arm、drying、Multifunctional lamp holder

智能烫台
Intelligent ironing table
T150D



多项发明专利

数位资深工程师历经三年多的研发，申请多项国家发明专利，传统烫台的换代产品，集节能、环保、低噪、智能、耐用多项特点于一身

Multiple Invention Patents

several senior engineers - after more than three years of research and development- applied for a number of national invention patents, and the replacement product of traditional ironing tables are characterized by energy saving, environmental protection, low noise, intelligence and durability.

吸风强劲噪音低

采用进口低噪风机技术，吸风强劲、噪音比同类产品降低10dB

Strong Air Suction and Low Noise

Adopted imported low noise wind turbine technology, with strong air suction, its noise reduced by 10 dB, as compared with counterparts

智能化蒸汽烘干技术

独创的智能型蒸汽烘干技术，利用现有蒸汽对台面进行80℃恒温烘干，安全可靠，烘干时间可以自由设定

Intelligent Steam Drying Technology

Unique intelligent steam drying technology using the existing steam to drying the table at 80℃ constant temperature, which is safe and reliable, drying time can be set freely.

多功能灯架系统

灯架装有LED照明灯，可实现台面的照明，保持工作时光线的充足，提高工作效率。配有高亮度镭射标记灯。配有烫斗吊挂滑轨，让熨烫工作变得轻松自如，减轻工作人员手持烫斗的疲劳强度

Multi-function Lamp Bracket System

LED floodlight has been installed in lamp bracket , a fact can realize the illume of table-board, maintain the sufficient light when working, and improve working efficiency. It equipped with high brightness laser marking lamp, and with iron hanging slide rails, thus making ironing easy and easy, reducing the fatigue of the staff for holding iron. '

高度调节装置

烫台高度自由调节装置，让机器因人而变，让不同身高的操作者都能保持一个舒适的姿势工作

Height Adjusting Device

The height free adjusting device of ironing table makes the machine changes according to the person, so that different height of the operator can maintain a comfortable position.

内含空气净化系统

吸风系统内置多级活性炭网，可将空气中的灰尘、毛絮等有害物质进行过滤和吸附，以达到空气的净化作用，让车间保持一个空气洁净的环境

It Contains An Air Purification System

The multi-stage activated carbon mesh is built in the air suction system, which can filter and absorb the dust, fluff and other harmful substances in the air, so as to achieve the purification effect of air, let the workshop enjoy a clean environment.

智能控制面板


集成一体化的操控及显示面板，把机器所有的操作按键和状态显示都集成在操控面板上，让操控变得轻松自如。还可与蒸汽发生器自由组合通信，采用串口方式与蒸汽发生器连通一体化控制

Intelligent Control Panel

The integrated control and display panel integrates all the operation keys and status display of the machine on the control panel, making the control easy and comfortable. It can also communicate with steam generator freely and adopt serial port to connecting with steam generator in terms of integrated control

HEMWAY®

推荐安装示意图 Recommend installation diagrammatic sketch



产品型号 Product model	T150D
主机功率 Main machine power	750W
额定电压 Rated voltage	220V/380V
台面尺寸 Table-board size	1500*750mm
产品净重 Gross weight of product	99kg
产品高度 Product height	800-900mm(可调)

型号	配置
T150A	1.5m台板 Electronic method
T150B	1.5m台板、烫臂 Electronic method、Ironing arm
T150C	1.5m台板、烫臂、烘干 Electronic method、Ironing arm、drying
T150D	1.5m台板、烫臂、烘干、多功能灯架 Electronic method、Ironing arm、drying、Multifunctional lamp holder

智能软水器
Smart water softener

W616



前置过滤系统
特有前置过滤系统，能够去除泥沙、胶体物质以及其他各种杂质，既能增强出水水质，又能保护下级过滤系统及管路

Pre-filtration System
The unique pre-filtration system can remove sediment, colloidal substances and other impurities. It can not only increase the quality of effluent, but also protect the lower filtration system and pipelines.

高度软化
采用进口软化树脂，交换容量高，软化速率快

High Softening
It has high exchange capacity and fast softening rate as a result of it adopted imported softening resin .

智能加盐系统
盐箱带有盐量监测系统，具有缺盐报警功能，当盐量少于3kg时，机器发出蜂鸣报警并亮黄灯，提醒用户向盐箱加盐


Intelligent Salting System
Salt tank has the monitoring system of salt quantity, with salt shortage alarm function, when the salt quantity is less than 3 kg, the machine emits buzzing alarm and yellow light to remind users to add salt to the salt tank.

全智能化自动运行
采用智能控制系统，输入水的参数，机器即可通过内部控制系统自动运行，无需人工操控

Fully Intelligent and Automatic Operation
Adopted intelligent control system, input water parameters, the machine can run automatically through the internal control system without manual control.

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	W616
主机功率 Main machine power	5W
额定电压 Rated voltage	AC 220V
进水压力 Inlet pressure	0.15- 0.6MPA
进水口 Water intake	G3/4
出水口 Water outlet	G3/4
排污口 Sewage outlet	G1/2
溢流口 Overflow port	G3/8
净水流量 Clean water flow	0.5m³/h
进水水温 Inlet water temperature	5-38 ℃
再生周期 Regeneration cycle	2m³
规格尺寸 Specification size	700*380*1180MM

智能软水器
Smart water softener

W616S



前置过滤系统
特有前置过滤系统，能够去除泥沙、胶体物质以及其他各种杂质，既能增强出水水质，又能保护下级过滤系统及管路

Pre-filtration System
The unique pre-filtration system can remove sediment, colloidal substances and other impurities. It can not only increase the quality of effluent, but also protect the lower filtration system and pipelines.

高度软化
采用进口软化树脂，交换容量高，软化速率快

High Softening
It has high exchange capacity and fast softening rate as a result of it adopted imported softening resin .

深度净化
内置“清除铁锰过滤器”，有效去除水中的铁、锰离子，防止水质发黄，解决服装熨烫过程中容易出现的黄色锈渍问题

Deep Purification
Built-in " the filter of removing iron and manganese" , can effectively remove iron and manganese ions in water, prevent water color from yellowing, and solve the problem of yellow rust stains easily occurring in clothing ironing process.

智能加盐系统
盐箱带有盐量监测系统，具有缺盐报警功能，当盐量少于3kg时，机器发出蜂鸣报警并亮黄灯，提醒用户向盐箱加盐


Intelligent Salting System
Salt tank has the monitoring system of salt quantity, with salt shortage alarm function, when the salt quantity is less than 3 kg, the machine emits buzzing alarm and yellow light to remind users to add salt to the salt tank.

全智能化自动运行
采用智能控制系统，输入水的参数，机器即可通过内部控制系统自动运行，无需人工操控

Fully Intelligent and Automatic Operation
Adopted intelligent control system, input water parameters, the machine can run automatically through the internal control system without manual control.

HEMWAY®


推荐安装示意图 **Recommend installation diagrammatic sketch**



产品型号 Product model	W616S
主机功率 Main machine power	5W
额定电压 Rated voltage	AC 220V
进水压力 Inlet pressure	0.15- 0.6MPA
进水口 Water intake	G3/4
出水口 Water outlet	G3/4
排污口 Sewage outlet	G1/2
溢流口 Overflow port	G3/8
净水流量 Clean water flow	0.5m³/h
进水水温 Inlet water temperature	5-38℃
再生周期 Regeneration cycle	2m³
规格尺寸 Specification size	930.6*377.5*1375.8mm

组合机柜
Combination cabinet

HT100



智能式组合机柜，集合熨烫一体机、水箱、排污箱于一体，方便移动，适应于各种水源不便、排污不便的熨烫场所，减少了熨烫过程中额外的工作，全新全意只为使客户有更好的熨烫体验

The intelligent combined cabinet integrates an ironing integrated machine, a water tank and a sewage draining box into a whole, is convenient to move, is suitable for various ironing places with inconvenient water sources and sewage draining, reduces extra work in the ironing process, and is completely new and only aims at enabling customers to have a better ironing experience.

智能式组合机柜具备以下几种特点：

This type of intelligent combined cabinet possesses the following characteristics:

外观：机柜采用特制铝型材框架结构，既坚实稳固、又轻巧漂亮机柜柜门全部采用 2mm 的轻质铝板，结实耐用不变形。机柜底部装有万向脚轮，可以方便移动。采用前置式加水口设计以及前置式排污箱设计，在平时使用时无需移动机柜，即可实现自动加水与排污箱倒水

Appearance:It adopts special aluminum frame structure, which is firm, light and beautiful.The Cabinet doors are all made of 2mm light aluminum plates, which are strong and durable without deformation.Universal casters are installed at the bottom of the cabinet to facilitate movement. The design of the front-mounted water inlet and the design of the front-mounted blowdown tank is available to side with it.The automatic water filling and pouring in the sewage tank can be realized without moving the cabinet during working.

机柜排污箱容量约为15L，可以存放污水一个星期左右，即将满水时，通过亮灯和蜂鸣器来提醒个人倒掉污水

The capacity of the cabinet blowdown box is about 15L, which can store sewage for about a week and will be full soon.When water is used, lights and buzzers are applied to remind individuals to pour out sewage.

电控盒，为了安全可控、便于维护和更换，将蒸汽电磁阀和电路接线排单独放置于电控盒内，并进行外置，维护时，打开电控盒护盖和底下的机柜盖板，即可对电磁阀进行拆卸


Electric control box is aiming to be safe and controllable, easy to maintain and replace, connect the steam solenoid valve with the circuit.
The wire row is separately placed in the electric control box and is externally arranged. During maintenance, the electromagnetic valve can be disassembled by opening the protective cover of the electric control box and the cabinet cover plate below.


机柜进水箱内置水位检测装置，当水箱即将缺水或即将加满水时都会通过指示灯和蜂鸣器进行报警提示

The cabinet water inlet tank is internally provided with a water level detection device, which can be communicated when the water tank is about to be short of water or full of water.The indicator light and buzzer is responsible for releasing alarm prompt.

HEMWAY®

推荐安装示意图 **Recommend installation diagrammatic sketch**





新型
全蒸汽烫斗
New Full Steam Iron
HS-B3



超大汽量
创新的内部结构设计，保证超大汽量，
全蒸汽斗的更新换代产品

Large Amount of Steam
Innovative internal structure design, ensure large steam amount, the replacement product of full steam iron

梅花汽孔
创新的梅花形汽孔设计，让蒸汽均匀扩
散，大幅度提高布料的受热面积，并且受
热均匀，提高熨烫质量和效率

The Plum Blossom Steam Hole
Innovative plum –like steam hole design, which enables the steam evenly spread, greatly improve the cloth heating area, and heat evenly, improve the quality and efficiency of the ironing

柔性拨式开关
全新设计的拨式蒸汽开关，开启后自
动定位、关闭时轻轻回拨自动复位

Flexible Dial Switch
The newly designed dial-type steam switch is automatically positioned after opening and automatically dial-back when it is turned off.

双管合一
独创的新式内外双管技术，将回水管内置于
蒸汽管内，双管合一，减轻重量，熨烫轻松

The Combination of Two Pipes
Unique new internal and external double tube technology installed return water tube in the steam tube, double tube in one, reduce weight, easy to iron.

产品型号 Product model	HS-B3
烫斗类型 Type of Iron	蒸汽斗 steam iron
蒸汽管材质 Steam-pipe material	铁氟龙 Teflon
蒸汽接口 Steam interface	G1/4
烫斗净重 Net weight of iron	1.6kg
烫斗底板尺寸 Size of iron bottom plate	142*202mm
烫斗底板材质 Material of iron bottom plate	304不锈钢+不粘涂层 304stainless steel+non-stick coating

新型
电加热烫斗
New Electric Heating Iron
HE3600



高效轻巧
采用进口加热系统和最新的底板结
构，热效率提升30%。重量降低20%

High Efficiency and Light Weight
The thermal efficiency is increased by 30% and Weight decreased by 20% due to it adopt imported heating system and the latest bottom plate structure

流畅熨烫
底板采用铁氟龙不沾涂层，熨烫超顺畅，
更有效保证烫料不被刮花，提高熨烫效率

Smooth Ironing
The bottom plate adopts Teflon non-stick coating, let you enjoy the ironing in a very smooth way, more effective to ensure the ironing material is not scratched, enhance the ironing efficiency

数字温控
开机两分钟后使用蒸汽干燥无水分，使衣
物保持干燥，数字显示设定温度，可根据
不同面料精确调节烫斗底板温度

Digital Temperature Control
Use steam to drying water and deprive of moisture after starting the machine for two minutes,, so that the clothes can be kept dry. The digital display sets the temperature, the bottom plate temperature of ironing table can be accurately adjusted according to different fabrics

人性化手柄开关
蒸汽开关置于手柄前端底部，方便食
指操作，符合人体工程学，烫工喜欢

Humanized Handle Switch
The steam switch is placed at the front-end bottom of the handle, a fact is convenient for operation by the index finger, accord with human body engineering, and popular with ironing operator.

弧形吊杆装置
独创的弧形吊杆装置，使弹簧吊挂点置于烫
斗的重心轴线上，烫斗在熨烫过程中始终处
于水平状态，让熨烫变得更加轻松自如

Curved Steeve Device
The original curved steeve device enables the spring suspension point to be placed on the axis of the center of gravity of the iron, and the iron is always in a horizontal state in the process of ironing, making ironing more relaxed and free.

产品型号 Product model	HE3600
产品功率 Product power	1.3KW
额定电压 Rated voltage	220V
烫斗类型 Type of Iron	电熨斗 Electric iron
蒸汽管材质 Steam-pipe material	铁氟龙 Teflon
蒸汽接口 Steam interface	G1/4
调温方式 Temperature regulation mode	电子式 Electronic method
烫斗底板材质 Material of iron bottom plate	硬质氧化铝+不粘涂层 304stainless steel+non-stick coating
烫斗底板尺寸 Size of iron bottom plate	140*208mm
烫斗净重 Net weight of iron	1.8KG

用户案例
USER CASES

国内市场
Domestic market



国外市场
Foreign market



汉明威业务范围遍及海内外，已为成千上万服装制衣企业提供了高效节能的整烫解决方案。
Hemway's business scope spans all over the world, providing tens of thousands of garment enterprises with energy-saving ironing solutions.